

**SPEC
SHEET**



TURTLE-SAFE

590nm Amber



ARTO

Turtle-Safe 590nm Amber LED Garage Light

AccessFixtures.com

1 Turtle & Wildlife Friendly:
The energy-efficient amber LEDs are turtle and wildlife friendly. Using 590nm follows most coastal light regulations.

2 EXTREME-LIFE:
ARTOs exceptional design produces an EXTREME-LIFE rating of L70 @ 219,000 hours for years of virtually maintenance-free performance.

3 Premium Build:
IP66 rated against water jets, CSA listed for wet locations, and die-cast aluminum housing for maximum life and durability.

highlights



PH: 800-468-9925
Sales@AccessFixtures.com
AccessFixtures.com



AccessFixtures
High-Performance Lighting Solutions


ARTO OPTIONS

Light Source	LED
Kelvin	590nm Amber
Watts	43w, 57w
Available Finishes	Bronze, White, Custom RAL
Housing	Low Profile Die Cast Aluminum Housing
Mounting	Easy-Hang bracket, optional quick-mount/pendant bracket
Lumens	Up to 2,292
LPW	Up to 57
Lens	Molded UV-Stabilized Acrylic Optical Lens Designed for Garage Lighting Applications.
Driver	Electronic Driver, 120-277V, 50/60Hz
Dimensions	13.75" L x 11.25" W x 2.5" H
Listings	CSA, IP66
Voltage	120-277v
Photocell	Photocell Adaptable
Warranty	5-year limited warranty



ARTO OPTIONS

OPTIONS

- Bronze, White or custom RAL
- 120-277VAC 10KA Surge Suppressor
- Microwave Sensor with Dimming, 120-277V Only.
- Button Photocell



PHOTOMETRICS & SPECTRAL CHART



Type V
Grid in MH
MH=12 Feet